

# Plant Systematics and Evolution

Volume 160 1988

ISSN 0378-2697

Editorial Board: F. Ehrendorfer (Managing Editor), Wien,  
L. Geitler, W. Hagemann, D. L. Hawksworth, V. H. Heywood,  
T. J. Mabry, J. Poelt, G. L. Stebbins, T. F. Stuessy, B. L. Turner



Springer-Verlag Wien New York

#### Advisory Board

R. Y. Berg, Oslo  
T. J. Crovello, Notre Dame, Ind.  
M. A. Fischer, Wien  
H. Greger, Wien  
J. Greilhuber, Wien  
J. L. Harper, Bangor  
J. Heslop-Harrison, Aberystwyth  
M. Hesse, Wien  
U. Jensen, Bayreuth  
K. Jones, Kew  
S. Kawano, Kyoto  
T. N. Khoshoo, Lucknow  
G. F. Leedale, Leeds

H. Meusel, Halle a. d. Saale  
M. Moser, Innsbruck  
B. Nordenstam, Stockholm  
R. M. Schuster, Amherst, Mass.  
D. Schweizer, Wien  
R. C. Starr, Austin, Tex.  
A. Takhtajan, Leningrad  
Elisabeth Tschermak-Woess, Wien  
S. Vogel, Mainz  
G. Wagenitz, Göttingen  
A. Weber, Wien  
F. Weberling, Ulm

Editorial Assistant: Irmgard Krisai, Wien

Vol. 160	No. 1–2*	1988	pp. 1–142	Published June 30, 1988
Vol. 160	No. 3–4	1988	pp. 143–246	Published July 22, 1988

\* Molecular change, evolution, and systematics in the *Triticeae* (*Gramineae*). Edited by R. Appels, D. Schweizer, and F. Ehrendorfer.

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions including microform is transferred to the publisher. For copyright regulations and for further information, see the detailed "Instructions to Authors".

© 1988 by Springer-Verlag/Wien



## Contents

Appels, R., s. Gill, B. S.	
— s. McIntyre, C. L.	
— s. Scoles, G. J.	
— s. West, J. G.	
— s. Xin, Z.-Y.	
Chapman, C., s. Scoles, G. J.	
Clarke, B. C., s. McIntyre, C. L.	
— s. Scoles, G. J.	
Colombo, M. L., s. Servettaz, O.	
Drinnan, A. N., Ladiges, P. Y.: Perianth development in <i>Angophora</i> and the blood-wood Eucalypts ( <i>Myrtaceae</i> ) . . . . .	219
El Hadidi, M. N., s. Maksoud, S. A.	
Gill, B. S., Appels, R.: Relationships between <i>Nor</i> -loci from different <i>Triticeae</i> species . . . . .	77
Hamby, R. K., Zimmer, E. A.: Ribosomal RNA sequences for inferring phylogeny within the grass family ( <i>Poaceae</i> ) . . . . .	29
Ladiges, P. Y., s. Drinnan, A. N.	
McIntyre, C. L.: Variation at isozyme loci in <i>Triticeae</i> . . . . .	123
— Clarke, B. C., Appels, R.: Amplification and dispersion of repeated DNA sequences in the <i>Triticeae</i> . . . . .	39
— — —: DNA sequence analyses of the ribosomal spacer regions in the <i>Triticeae</i> . . . . .	91
— s. Scoles, G. J.	
— s. West, J. G.	
Maksoud, S. A., El Hadidi, M. N.: The flavonoids of <i>Balanites aegyptiaca</i> ( <i>Balanitaceae</i> ) from Egypt . . . . .	153
Nybom, H.: Apomixis versus sexuality in blackberries ( <i>Rubus</i> subgen. <i>Rubus</i> , <i>Rosaceae</i> ) . . . . .	207
Prasad, M. N. V., s. Rao, K. S.	
Rao, K. S., Prasad, M. N. V.: Typology of latex starch grains of certain <i>Euphorbiaceae</i> and their possible significance in systematics . . . . .	189
Rao, P. R. M., s. Sood, S. K.	
Scoles, G. J., Gill, B. S., Xin, Z.-Y., Clarke, B. C., McIntyre, C. L., Chapman, C., Appels, R.: Frequent duplication and deletion events in the 5S RNA genes and the associated spacer regions of the <i>Triticeae</i> . . . . .	105
Servettaz, O., Colombo, M. L., Tomè, F.: Taxonomical investigations on <i>Helleborus viridis</i> s. l. ( <i>Ranunculaceae</i> ) in Northern Italy . . . . .	181
Singh, A. K.: Putative genome donors of <i>Arachis hypogaea</i> ( <i>Fabaceae</i> ), evidence from crosses with synthetic amphidiploids . . . . .	143
Small, E.: Pollen-ovule patterns in tribe <i>Trifolieae</i> ( <i>Leguminosae</i> ) . . . . .	195
Sood, S. K., Rao, P. R. M.: Studies in the embryology of the diandrous orchid <i>Cypripedium cordigerum</i> ( <i>Cypripediaceae</i> , <i>Orchidaceae</i> ) . . . . .	159
Tomè, F., s. Servettaz, O.	

Turner, B. L.: Taxonomy of <i>Carminatia</i> (Asteraceae, Eupatorieae) . . . . .	169
West, J. G., McIntyre, C. L., Appels, R.: Evolution and systematic relationships in the <i>Triticeae</i> (Poaceae) . . . . .	1
Xin, Z.-Y., Appels, R.: Occurrence of rye ( <i>Secale cereale</i> ) 350-family DNA sequences in <i>Agropyron</i> and other <i>Triticeae</i> . . . . .	65
— s. Scoles, G. J.	
Zimmer, E. A., s. Hamby, R. K.	

#### Short Communications

Appels, R., s. Mitchell, L. E.	
Gill, B. S., s. Mitchell, L. E.	
Huss, V. A. R., s. Kessler, E.	
Kessler, E., Huss, V. A. R., Rahat, M.: Species-specific ability of <i>Chlorella</i> strains ( <i>Chlorophyceae</i> ) to form stable symbioses with <i>Hydra viridis</i> . . . . .	241
Mitchell, L. E., Gill, B. S., Appels, R.: Fractionation of alcohol dehydrogenase and $\alpha$ -amylase alleles from wheat in actinomycin-D/CsCl gradients . . . . .	61
Rahat, M., s. Kessler, E.	